

# OASIS HARDMOUNT WASHER EXTRACTOR

SXTP-100GT  
20 lbs (10kg)

SXTP-150GT  
30 lbs (15kg)

SXTP-200GT  
40 lbs (20kg)

SXTP-320GT  
70 lbs (32kg)

## Powerful, Reliable, and Economical

- Sturdy Industrial Rigid Mount Structure
- High G Force of 200G
- Four Compartment Detergent Box
- 7" High Definition Touch Screen Controller
- Single Phase for Ease of Installation
- Multiple Payment Options\*\*



*Designed to withstand rigorous usage in industrial settings. Deliver powerful performance with a high G-force of 200G, ensuring thorough cleaning results every time. User-friendly 7" touch screen interface enhances ease of use, allowing for intuitive operation. Separate, large compartments for various detergents provide flexibility in choosing preferred cleaning agents.*


## Technical Specifications

| MODEL                         | SXTP-100GT           | SXTP-150GT | SXTP-200GT | SXTP-320GT |
|-------------------------------|----------------------|------------|------------|------------|
| <b>DRUM</b>                   |                      |            |            |            |
| Capacity (kg)                 | 10                   | 15         | 20         | 32         |
| Drum Volume (mm)              | 90                   | 135        | 185        | 282        |
| Drum Diameter (mm)            | 532                  | 600        | 683        | 774        |
| Drum Depth (mm)               | 405                  | 478        | 504        | 600        |
| <b>DIMENSIONS</b>             |                      |            |            |            |
| Width (mm)                    | 686                  | 737        | 800        | 965        |
| Height (mm)                   | 1218                 | 1272       | 1313       | 1460       |
| Depth (mm)                    | 803                  | 906        | 993        | 1138       |
| Weight (kg)                   | 160                  | 210        | 280        | 560        |
| <b>DOOR</b>                   |                      |            |            |            |
| Door Opening (mm)             | 375                  | 375        | 375        | 423        |
| Height to Center of Door (mm) | 575                  | 633        | 674        | 720        |
| <b>CONNECTION</b>             |                      |            |            |            |
| Water Inlet (inch)            | 1/2                  | 1/2        | 3/4        | 3/4        |
| Drain (mm)                    | 51                   | 76         | 76         | 76         |
| <b>ELECTRICAL REQUIREMENT</b> |                      |            |            |            |
| Power Supply                  | 220-240VAC @ 50/60Hz |            |            |            |
| <b>MOTOR</b>                  |                      |            |            |            |
| Motor Power                   | 1                    | 0.75       | 1.8        | 3.5        |


\* Due to continuous product improvements, design and specifications are subject to change over times without prior notice

# Dimension Specifications


## SXTP-100GT




FRONT VIEW



REAR VIEW




SIDE VIEW




BOTTOM VIEW

# Dimension Specifications


## SXTP-150GT




FRONT VIEW



REAR VIEW




SIDE VIEW




BOTTOM VIEW


## SXTP-200GT




**FRONT VIEW**



### REAR VIEW




### SIDE VIEW




**BOTTOM VIEW**

# Dimension Specifications


## SXTP-320GT




FRONT VIEW



REAR VIEW



SIDE VIEW



BOTTOM VIEW